




# VERBENA

PINNACLE  
ARCHITECTURAL LIGHTING®

A brand of  legrand





# VERBENA A PREMIUM LIGHTING DESIGN PLATFORM


EXPLORE

CREATE

DESIGN

The new shape of linear





Verbena is an innovative illumination platform that allows you to take lighting design to new levels. This aesthetically stimulating system has been sculpted and refined.  
**SIMPLE. CLEAN. FRESH.**








The Verbena platform was carefully crafted to be a toolbox for designers. The thoughtfully formed connectors allow you the freedom to move and weave illumination throughout a space.



Verbena 3"




Verbena 4"



Verbena has two minimalistic profiles to suit your needs: 3" wide aperture and 1-1/8" tall or 4" wide aperture and 1-3/8" tall.

Both profiles are available in 1' increments to allow for simplified pattern design and experimentation.

The die cast aluminum endcaps complement and extend the linear form.



# THINK OUTSIDE THE GRID

The modularity of the Verbena platform allows for architectural freedom.

Design individual patterns to connect spaces and create excitement within the overall project.



# CREATE NON-LINEAR LINES OF LIGHT



**C90**  
90° Connector



**C120**  
120° Connector



**C135**  
135° Connector




**Y**  
"Y" Connector




**T**  
"T" Connector



**X**  
"X" Connector



**AJ**  
Alternating Joint



**LJ**  
Linear Joint

With six detailed connectors and two linear joints, Verbena will always be unique to match your imagination.

Breathe life into linear designs with 2'-8' lengths, X, T, Y, 90°, 120°, 135° corners, and a direct-to-indirect alternating joint.

Our in house milling capabilities additionally enable the design and development of any non-standard connector.

Discreetly designed into each endcap and joiner is a light blocker deliberately preventing light leaks.



# DESIGN TO SHAPE A SPACE

The optics on Verbena were specifically developed to highlight the triangular profile.

Five standard housing colors allow freedom to stand out in a space or blend into the architecture.


Elegant and sleek connectors enable new and innovative designs allowing you to put the light where you want it and create unique spaces.







Verbena can be specified as surface and ADA compliant wall mount options. The 1/2" standoff wall and surface mounting hardware maintains a minimalistic style.



# DOWN TO THE DETAILS

Bringing premium design to all aspects of the Verbena platform, the suspended offering utilizes a refined power and suspension cable. This unique cable integrates multiple electrical conductors and suspension into the same jacketed cable creating a streamlined aesthetic while also removing unsightly curves and twists.

A unique power canopy on one side of the fixture allows for room-side access above the plenum.





Top View

Top View




Side View

Side View



**CAC = 3/16"**

Conductive Aircraft Cable (CAC):  
Two conductive cables and suspension.



**SJT = 3/8"**

Standard power cable (SJT):  
Five conductive cables and no suspension.

# PREMIUM LIGHTING CONTROL

In the modern era of working spaces, glare control continues to drive lighting needs. Verbena's Alternating Joint allows for the combination of direct and indirect light to avoid reflected glare even when placed directly above a workstation.





Elevate your spaces with Verbena's Alternating Joint. Verbena's Alternating Joint provides the rare opportunity to play with vertical movement along the same linear run. Enhance the bidirectional nature light in a space.


# PREMIUM PERFORMANCE

## DIRECT OR INDIRECT SATINE LENS


Up to 145 LPW. Up to 2000 lm/ft

## INDIRECT WIDESPREAD LENS


Up to 165 LPW. Up to 2300 lm/ft



Satine Lens




4" Wide Spread Lens




3" Wide Spread Lens

# TYPICAL APPLICATIONS




**Average: 38.22 fc**  
**Max: 45.0 fc**  
**Min: 22.0 fc**  
**Max/Min Ratio: 2.05**

**Area: 562.0 sq.ft**  
**Total Watts: 235.2**  
**LPD: 0.419 watts/sq.ft**



**Average: 19.58 fc**  
**Max: 33 fc**  
**Min: 9 fc**  
**Max/Min Ratio: 3.67**

**Area: 191.75 sq.ft**  
**Total Watts: 68**  
**LPD: 0.355 watts/sq.ft**





**P I N N A C L E**  
ARCHITECTURAL LIGHTING®

3801 Havana St. Denver CO, 80239

Phone: 303.322.5570

[www.pinnacle-ltg.com](http://www.pinnacle-ltg.com)

**January 2022**

© 2022 Pinnacle Architectural  
Lighting®

Specifications and dimensions subject to change without notice. Specification sheets and brochures that appear on [pinnacle-ltg.com](http://pinnacle-ltg.com) are the most recent version and supersede all other previously printed or electronic versions.